

IN THE HIGH COURT OF KERALA AT ERNAKULAM

PRESENT:

THE HONOURABLE MR.JUSTICE K.VINOD CHANDRAN

FRIDAY, THE 22ND DAY OF MAY 2015/1ST JYAISHTA, 1937

WP(C).No. 13034 of 2015 (D)

PETITIONER:

**JINU K RAJ, AGED 30 YEARS
S/O.KRISHNAN, VANJIPURACKAL VRINDAVANAM, S.PURAM.PO
KURICHY VILLAGE, CHANGANASSERY TALUK
KOTTAYAM DISTRICT.**

BY ADV. SRI.P.M.ZIRAJ

RESPONDENT(S)

- 1. THE DISTRICT GEOLOGIST,
DEPARTMENT OF MINING AND GEOLOGY
KOTTAYAM DISTRICT-686532.**
- 2. THE DIRECTOR,
MINING AND GEOLOGY, OFFICE OF THE MINING AND GEOLOGY
KESAVADASAPURAM, PATTOM, THIRUVANANTHAPURAM-695001.**
- 3. THE STATE OF KERALA,
GOVERNMENT OF KERALA, GOVERNMENT SECRETARIAT
THIRUVANANTHAPURAM-695001.**

R BY GOVERNMENT PLEADER SRI. BIJU MEENATTOOR

**THIS WRIT PETITION (CIVIL) HAVING COME UP FOR ADMISSION
ON 22-05-2015, THE COURT ON THE SAME DAY DELIVERED THE
FOLLOWING:**

WP(C).No. 13034 of 2015 (D)

APPENDIX

PETITIONER(S)' EXHIBITS

- EXT.P1 TRUE COPY OF THE NO OBJECTION CERTIFICATE 7.10.2014
ISSUED BY THE SECRETARY,KURICHY GRAMA PANCHAYATH**
- EXT.P2 TRUE COPY OF THE APPLICATION SUBMITTED BY THE
PETITIONER BEFORE THE IST RESPONDENT DATED 1.4.2015**
- EXT.P3 TRUE COPY OF THE JUDGMENT OF THIS HONOURABLE COURT
DATED 9.4.2015 IN WP(C)11995 OF 2015.**

RESPONDENT(S)' EXHIBITS: NIL

// TRUE COPY //

PA to Judge

SB

K. VINOD CHANDRAN, J.

=====

W.P.(C) No.13034 of 2015 - D

=====

Dated this the 22nd day of May, 2015

J U D G M E N T

The case of the petitioner is that, on the strength of Ext.P1 No Objection Certificate, the petitioner levelled the property by removing ordinary earth for construction of a residential building. But when the petitioner approached the 1st respondent/Geologist with a request for issuance of Mineral Transit pass to transport the earth from his property, it was refused to be acted upon.

2. Heard the learned Government Pleader as well.

3. By virtue of Rule 14 of the Kerala Minor Mineral Concession Rules, 2015 the persons doing construction of residential building including flats or commercial buildings having a plinth area upto 300 square metres are exempted from obtaining quarrying permit under the Rules, if the owner of the

W.P.(C) No.13034 of 2015 - D

land has obtained a prior valid permit for construction of such building from the concerned Local Self Government authority.

The said Rule reads as follows:

"14. Quarrying permit for Ordinary earth: (1) A quarrying permit under these rules shall be obtained for extraction of ordinary earth used for filling or levelling purposes in construction of embankments, roads, railways or buildings in Form N:

(2) Notwithstanding anything contained in sub-rule (1), no quarrying permit is required under these rules for extraction of ordinary earth in connection with the construction of residential buildings including flats or commercial buildings having a plinth area of 300 square metres if the owner of the land obtained a prior valid permit for construction of such building from the Local Self Government authorities concerned;

Provided that in cases where transportation of ordinary earth is required, the

W.P.(C) No.13034 of 2015 - D

owner shall pay royalty for the quantity to be transported and shall obtain mineral transit passes under the Kerala State Minerals (Prevention of illegal mining, storage and transportation) Rules, 2015 from the competent authority;

Provided further that the competent authority shall not issue mineral transit passes for removal of ordinary earth exceeding the quantity needed to be extracted, as ascertained by it through a site inspection."

4. In the above facts and circumstances, 1st respondent/District Geologist is directed to issue 'Mineral Transit Pass' in Form O(A) of the Kerala Minerals (Prevention of Illegal Mining, Storage and Transportation) Rules, 2015 (for brevity "Prevention Act"], on being satisfied with the genuineness of the claim of the petitioner based on Exhibit P1 No Objection Certificate, without insisting for 'NOC'/Mining permit; in accordance with law, which shall be done at the earliest at any

W.P.(C) No.13034 of 2015 - D

rate within two weeks from the date of receipt of a copy of this judgment. The petitioner shall produce a copy of this judgment along with a copy of the writ petition before the 1st respondent/District Geologist for further steps.

The writ petition is disposed of.

**Sd/-
K. VINOD CHANDRAN,
JUDGE**

SB

// true copy //

P.A to Judge