

IN THE HIGH COURT OF KERALA AT ERNAKULAM

PRESENT:

THE HONOURABLE MR.JUSTICE K.VINOD CHANDRAN

WEDNESDAY, THE 22ND DAY OF MAY 2015/30TH VAISAKHA, 1937

WP(C).No. 13035 of 2015 (D)

PETITIONER:

**SIVADASAN, AGED 48 YEARS
S/O.KAMBAI, ALANCHIRA, PERUVEMBA P O
PERUVEMBA VILLAGE, PALAKKAD TALUK, PALAKKAD DIST**

BY ADV. SRI.P.M.ZIRAJ

RESPONDENT(S)

- 1. THE DISTRICT GEOLOGIST, PALAKKAD
DEPARTMENT OF MINING AND GEOLOGY,
PALAKKAD DIST-678701**
- 2. THE DIRECTOR
MINING AND GEOLOGY, OFFICE OF THE MINING AND GEOLOGY
KESAVADASAPURAM, PATTAM , THIRUVANANTHAPURAM-695001**
- 3. THE STATE OF KERALA
REP BY SECRETARY TO GOVERNMENT
INDUSTRIES DEPARTMENT, GOVERNMENT OF KERALA
GOVERNMENT SECRETARIAT, THIRUVANANTHAPURAM-695001**

R BY GOVERNMENT PLEADER SMT. C.K. SHERIN

**THIS WRIT PETITION (CIVIL) HAVING COME UP FOR ADMISSION
ON 22-05-2015, THE COURT ON THE SAME DAY DELIVERED THE
FOLLOWING:**

WP(C).No. 13035 of 2015 (D)

APPENDIX

PETITIONER(S)' EXHIBITS

**EXT.P1:- TRUE COPY OF THE BUILDING PERMIT 21/4/2015 ISSUED BY THE
SECRETARY, PERUVEMBA GRAMA PANCHAYATH**

**EXT. P2:- TRUE COPY OF THE APPLICATION SUBMITTED BY THE
PETITIONER BEFORE THE FIRST RESPONDENT DTD 22/4/2015**

**EXT.P3:- TRUE COPY OF THE JUDGMENT OF THIS HONOURABLE COURT
DTD 9/4/2015 IN WPC 11995/2015**

RESPONDENT(S)' EXHIBITS: NIL

// TRUE COPY //

PA to Judge

SB

K. VINOD CHANDRAN, J.

=====

W.P.(C) No.13035 of 2015 -D

=====

Dated this the 22nd day of May, 2015

J U D G M E N T

The case of the petitioner is that, on the strength of Ext.P1 building permit, the petitioner levelled the property by removing ordinary earth for construction of a residential building. But when the petitioner approached the 1st respondent/Geologist with a request for issuance of Mineral Transit pass to transport the earth from his property, it was refused to be acted upon.

2. Heard the learned Government Pleader as well.

3. By virtue of Rule 14 of the Kerala Minor Mineral Concession Rules, 2015 the persons doing construction of residential building including flats or commercial buildings having a plinth area upto 300 square metres are exempted from obtaining quarrying permit under the Rules, if the owner of the

W.P.(C) No.13035 of 2015 -D

land has obtained a prior valid permit for construction of such building from the concerned Local Self Government authority.

The said Rule reads as follows:

"14. Quarrying permit for Ordinary earth: (1) A quarrying permit under these rules shall be obtained for extraction of ordinary earth used for filling or levelling purposes in construction of embankments, roads, railways or buildings in Form N:

(2) Notwithstanding anything contained in sub-rule (1), no quarrying permit is required under these rules for extraction of ordinary earth in connection with the construction of residential buildings including flats or commercial buildings having a plinth area of 300 square metres if the owner of the land obtained a prior valid permit for construction of such building from the Local Self Government authorities concerned;

Provided that in cases where transportation of ordinary earth is required, the

W.P.(C) No.13035 of 2015 -D

owner shall pay royalty for the quantity to be transported and shall obtain mineral transit passes under the Kerala State Minerals (Prevention of illegal mining, storage and transportation) Rules, 2015 from the competent authority;

Provided further that the competent authority shall not issue mineral transit passes for removal of ordinary earth exceeding the quantity needed to be extracted, as ascertained by it through a site inspection."

4. In the above facts and circumstances, 1st respondent/District Geologist is directed to issue 'Mineral Transit Pass' in Form O(A) of the Kerala Minerals (Prevention of Illegal Mining, Storage and Transportation) Rules, 2015 (for brevity "Prevention Act"), on being satisfied with the genuineness of the claim of the petitioner based on Exhibit P1 building permit, without insisting for 'NOC'/Mining permit; in accordance with law, which shall be done at the earliest at any rate within two

W.P.(C) No.13035 of 2015 -D

weeks from the date of receipt of a copy of this judgment. The petitioner shall produce a copy of this judgment along with a copy of the writ petition before the 1st respondent/District Geologist for further steps.

The writ petition is disposed of.

**Sd/-
K. VINOD CHANDRAN,
JUDGE**

SB

// true copy //

P.A to Judge

W.P.(C) No.13035 of 2015 -D