

IN THE HIGH COURT OF JUDICATURE AT PATNA

Civil Writ Jurisdiction Case No.19223 of 2015

=====

1. Motilal Sharma s/o Late Ram Bhakt Sharma R/o P.H.E.D. Colony, Rampur, P.S. Bhadurpur, District - Town-Patna.

.... Petitioner/s

Versus

1. The State of Bihar through the Principal Secretary P.H.E.D. Bihar, Patna.
2. The Principal Secretary, Deptt. of Public Health & Engineering, Bihar, Patna.
3. The Chief Engineer (Mechanical), Deptt of Public Health, Engineering, Bihar, Patna.
4. The Managing Director, Bihar Rajya Jal Parishad, Patna.
5. The Executive Engineer, Bihar Rajya Jal Parishad, Patna.

.... Respondent/s

=====

Appearance :

For the Petitioner/s : Mr. Amit Bhushan

For the Respondent/s : Mr. Rana B.N.Singh, AC to GP 9
Mr Indrajeet Singh

=====

CORAM: HONOURABLE MR. JUSTICE AJAY KUMAR TRIPATHI

ORAL JUDGMENT

Date: 20-05-2016

Writ application is disposed of in view of the admitted position emerging that the petitioner has been wrongly absorbed on the post of Pump Khalasi instead of Electrical Grade I. Such an omission was a clerical mistake and the steps have been taken for rectification and correction. A direction is issued upon the Chief Engineer (Mechanical), PHED, Patna that it will be is responsibility and duty to see by following up the matter at appropriate level that the routine exercise, which is required to be done by the Cabinet, is placed before the Cabinet so that the petitioner can derive benefits of his absorption on the correct post of Electrical Grade I, preferably

within a period of three months from the date of production of a copy
of this order.

(Ajay Kumar Tripathi, J)

sk

AFR/NAFR	NAFR
CAV DATE	
Uploading Date	20.5.2016
Transmission Date	