

COCP No.1546 of 2013
in
CWP No.587 of 2013

Gurpreet Kaur
2017.03.03 11:05
I attest to the accuracy and
integrity of this document

1

***IN THE HIGH COURT OF PUNJAB AND HARYANA
AT CHANDIGARH.***

COCP No.1546 of 2013
in
CWP No.587 of 2013

Date of Decision: 23.02.2017

Satnam Singh and others

....Petitioners

Versus

Sh. Ajoy Kumar Sinha and others

....Respondents

C.M. No.763-CII of 2013
in
COCP No.32 of 2011

in
CWP No.18008 of 2008
Date of Decision: 23.02.2017

Kamal Jit Singh and others

....Petitioners

Versus

Vivek Partap Singh, Chief Administrator,
GMADA and others

....Respondents

BEFORE :- HON'BLE MRS. JUSTICE DAYA CHAUDHARY

Present:- Mr. B.S. Baath, Advocate
for the petitioners.

Mr. Shekhar Verma, Advocate
for respondent No.1.

DAYA CHAUDHARY, J. (ORAL)

This order of mine shall dispose of ***COCP No.1546 of 2013***
and ***C.M. No.763-CII of 2013*** in ***COCP No.32 of 2011*** which is for revival
of the contempt petition as common question of law and facts are involved.

In response to earlier order passed by this Court, an additional

COCN No.1546 of 2013
in
CWP No.587 of 2013

2

affidavit has been filed by Mr. Vasudev Anand, Divisional Engineer (Public Health-1), Greater Mohali Area Development Authority (GMADA), PUDA Bhawan Sector 62, SAS Nagar, wherein, it has been mentioned that in pursuance of affidavit dated 10.11.2016, the submersible pumps and contingent works for disposal of storm water from the surge tanks of Sectors 60 and 61 are now complete.

Learned counsel for the petitioners submits that the condition can be ascertained during rainy season and nothing can be said at this stage.

Keeping in view the affidavit, let both the above said petitions be disposed of.

However, in case, still the petitioners or the public at large have any grievance, they are at liberty to move an application for revival of said contempt petitions.

23.02.2017
gupreet

(DAYA CHAUDHARY)
JUDGE

Whether speaking/reasoned

Yes

Whether Reportable

Yes