

**IN THE HIGH COURT OF PUNJAB AND HARYANA AT
CHANDIGARH.**

CWP No. 18021 of 2017

Date of Decision: September 01, 2017.

Sahida and others

....Petitioners

Versus

Haryana Vidhyut Prasan Nigam

.....Respondents

CORAM: HON'BLE MR.JUSTICE RAJAN GUPTA

Present: Mr. Mohammad Arshad, Advocate, for the petitioners.

Mr.Rohit Arya, AAG, Haryana

Rajan Gupta, J (Oral)

Grievance of the petitioners is that high tension line is being installed in the fields passing through the land of the petitioners in a zig-zag manner. Thus, necessary directions need to be issued for laying the lines in a proper manner. Learned counsel for the petitioners submits that he has already filed representation Annexure P/6.

On the last date of hearing, a copy of the petition was handed over to State counsel to enable him to assist the court. Today, he submits that it is correct that representation is pending with the concerned department.

In view of above, this petition is disposed of with a direction to respondent No.1 to consider the matter on the basis of pleas raised by the petitioners in the representation Annexure P/6 and take appropriate decision as per rules/norms.

**(Rajan Gupta)
Judge**

September 01, 2017.

BB

Whether speaking/reasoned Yes/No

Whether reportable: Yes/No