

IN THE HIGH COURT OF JUDICATURE AT MADRAS

DATED 01.08.2018

CORAM

THE HONOURABLE Mr.JUSTICE P.N.PRAKASH

CRL.O.P.No.19230 of 2018

M/s. Reliance Jio Infocomm Limited,
having its Circle office at A1 Tower, 8th Floor,
89-90, Dr.Radhakrishnan Salai,
Mylapore, Chennai - 600 004.
represented by its Legal Manager,
Mr.D.Kalaimani

... Petitioner

Vs

1.The Deputy Superintendent of Police,
Periyanaickenpalayam,
Coimbatore District.

2.The Inspector of Police,
Thudiyalur Police Station,
Thudiyalur, Coimbatore District.

... Respondents

Criminal Original Petition filed under Section 482 Cr.P.C.,
praying to direct the respondents here in to provide adequate
police protection to the Petitioner Company and its staff and
subordinates to erect, commissioning of equipments and to
radiate the transmission tower at the lease site namely vacant
site measuring 900 Sq.ft. within Plot measuring 3419 Sq. Feet,
bearing S.f.No.64/5B, near D.No.4/386, Aruna Nagar,
K.Vadamadurai, Coimbatore-641 017.

For Petitioner : Mr.N.R.Anantha Rama Krishnan

For Respondents : Mr.C.Raghavan, Govt. Advocate

O R D E R

This Criminal Original Petition has been filed seeking a
direction to the respondents herein to provide police protection
to the petitioner's company to erect transmission tower at the
lease site measuring 900 Sq.ft. within plot measuring 3419

Sq.ft., bearing S.F.No.64/5B, near D.No.4/386, Aruna Nagar, K.Vadamadurai, Coimbatore - 641 017.

2.Heard the learned counsel for the petitioner and the learned Government Advocate appearing for the respondents and perused the materials placed on record.

3.In a similar case, this Court has passed the following order:-

"2.The learned counsel for the petitioner would submit that the petitioner's company had the contract agreement for installation of Cell Phone tower with M/s.Indus Towers Limited, a company registered under the provisions of Indian Companies Act, 1956. It is further submitted by the learned counsel for the petitioner that whenever the petitioner's company attempted to erect transmission cell phone tower, public is causing interference. The learned counsel for the petitioner also submitted that by order dated 05.03.2015, the Hon'ble First Bench of this Court, in W.P.Nos.24976 of 2008 and etc., batch, held that because of the advancement in the science, no one has prevented to erect cell phone towers. It is also submitted that the petitioner has given a complaint dated 24.02.2016 to the first respondent police seeking police protection, for which C.S.R.No.42 of 2016 and since the same has not been considered so far, he has come up with the present petition for the relief stated supra.

3.Heard the learned Additional Public Prosecutor appearing for the respondent.

4.Considering the facts and circumstances of the case, the petitioner is directed to send a fresh representation to the respondent and on receipt of the same, the respondent is directed to consider the representation to be submitted by the petitioner and pass appropriate orders on merits and in accordance with law, within a period of one week from the date of receipt of copy of this order.

5.With the above directions, this Criminal Original Petition is disposed of."

4.In the light of the above, the petitioner is directed to give a fresh representation in person to the respondent police and on receipt of the same, the respondent police is directed to consider the representation and take action in accordance with

law, by giving police protection, provided the petitioner produces sufficient materials in support of its claim.

With the above direction, this Criminal Original Petition is closed.

Sd/-
Assistant Registrar(Audit)

//True Copy//

Sub Assistant Registrar

gya

To

1.The Deputy Superintendent of Police,
Periyanaickenpalayam,
Coimbatore District.

2.The Inspector of Police,
Thudiyalur Police Station,
Thudiyalur, Coimbatore District.

3.The Public Prosecutor,
High Court, Madras.

+1cc to Mr.N.R.Anantha Rama Krishnan, Advocate sr.no.52186

CRL.OP.No.19230 of 2018

ak(co)
nr 13/08/2018

सत्यमेव जयते

WEB COPY