



BEFORE THE MADURAI BENCH OF MADRAS HIGH COURT

DATED:24.04.2018

CORAM:

THE HONOURABLE MR.JUSTICE D.KRISHNAKUMAR

CrI.O.P.(MD)No.6594 of 2018

V.Karunakaran

... Petitioner

Vs.

1.The Deputy Superintendent of Police,
District Crime Branch,
Trichy District.

2.The Inspector of Police,
District Crime Branch,
Trichy District.

... Respondents

PRAYER: This Criminal Original Petition is filed under Section 482 of the Code of Criminal Procedure, to direct the respondents to register the case on the basis of the complaint, dated 04.01.2018.

For Petitioner : Mr.S.Sankar

For Respondents : Mr.K.K.Ramakrishnan,
Additional Public Prosecutor

O R D E R

This application is filed seeking for a direction, directing the respondents to register the case on the basis of the complaint given by the petitioner, dated 04.01.2018.

2.The learned counsel for the petitioner has submitted that the petitioner has lodged a complaint before the respondent on 04.01.2018 against the proposed accused, but so far, no action has been taken and hence, the petitioner has filed the present Criminal Original Petition.

3.The learned Additional Public Prosecutor appearing for the respondents on instructions submitted that complaint has been received and summons has been issued to the petitioner as well as the proposed accused.

4.Considering the aforesaid submission, the second respondent is directed to enquire on the complaint given by the petitioner, if any cognizable offence is made out, the same shall be registered and proceed in accordance with law.



5. With the aforesaid observation, the Criminal Original Petition is disposed of.

WEB COPY

Sd/-
Assistant Registrar(AE)

/True copy/

Sub Assistant Registrar

To

1. The Deputy Superintendent of Police,
District Crime Branch,
Trichy District.
2. The Inspector of Police,
District Crime Branch,
Trichy District.
3. The Additional Public Prosecutor,
Madurai Bench of the Madras High Court,
Madurai.

+1 cc to MR.P.ARUN JAYATRAM, Advocate SR.No.63374

Crl.O.P. (MD) .No.6594 of 2018
24.04.2018

SMA/CM/SAR-2/15.05.2018:2P/5C