



Bail Slip

The Appellant/Accused namely Perumal Nadar S/o.Paul Nadar was directed to be released on bail as per order of this Court dated 15.04.2013 made in MP No.1/2013 in CrI.R.C(MD)No.300 of 2013 on the file of this Court.

WEB COPY

BEFORE THE MADURAI BENCH OF MADRAS HIGH COURT

DATED: 02.07.2019

CORAM:

THE HONOURABLE MR.JUSTICE G.R.SWAMINATHAN

CrI.R.C(MD)No.300 of 2013

Perumal Nadar

... Petitioner

Vs

State represented by,
Inspector of Police,
Vilathikulam Police Station,
Tuticorin District.
(Cr.No.169/2008)

... Respondent

PRAYER: Petition filed under Section 397 r/w 401 of Criminal Procedure Code, to admit this revision on file, to call for the records from the lower Courts and to duly set aside the Judgment passed by the Additional Sessions Judge, Fast Track Court No.II, Tuticorin, Tuticorin District in his C.A.No.66 of 2012, dated 31.01.2013, in modifying the Judgment of the Assistant Sessions Court, Kovilpatti, Tuticorin District in S.C.No.74 of 2009, dated 04.12.2012, by allowing this revision.

For Petitioner : Mr.V.Katirvelu
Senior Counsel for M/s.K.Prabhu

For Respondent : Mr.A.Robinson
Government Advocate (CrI.side)

ORDER

When the matter was taken up for hearing, it was reported that the sole accused is no more. Therefore, the proceedings against him will stand abated. Hence, this criminal revision case stands closed.

Sd/-

Assistant Registrar (CRL.SIDE)

// True Copy //



To

1.The Additional District Sessions Judge,
Fast Track Court No.II, Tuticorin, Tuticorin District.

2.The Assistant Sessions Judge, Kovilpatti, Tuticorin District.

3.Do Thro The Principal Sessions Judge, Tuticorin District

4.The Judicial Magistrate, Vilathikulam, Tuticorin District

5.Do Thro The Chief Judicial Magistrate, Tuticorin District

6.The Inspector of Police,
Vilathikulam Police Station,
Tuticorin District.

7.The Additional Public Prosecutor,
Madurai Bench of Madras High Court, Madurai

copy to

The Section Officer,

The Criminal Section(Record)

Madurai Bench of Madras High Court, Madurai-2 copies

rmi

Crl.R.C (MD) No.300 of 2013
02.07.2019

KM/(19.07.2019) 2P 10C