$~46

* **IN THE HIGH COURT OF DELHI AT NEW DELHI**

\+ CRL.M.C. 1021/2020

M/S JSSI HYDRAULICS PVT LTD ..... Petitioner

Through Ms.Amrita Mishra and Ms.Ritu Yadav, Advs.

versus

M/S INTERARCH BUILDING PRODUCTS PVT LTD ..... Respondent

Through None

CORAM:
HON'BLE MR. JUSTICE SURESH KUMAR KAIT

O R D E R

% 25.02.2020

Crl. M.A. 4117/2020 (for exemption)

Allowed, subject to all just exceptions.

Application is disposed of.

CRL.M.C. 1021/2020 & CRL.M.A.4116/2020 (for stay)

By the present petition, petitioner has challenged the order dated 10.10.2019 passed by learned MM-02, PHC, New Delhi whereby cross-examination of AR for complainant was closed.

A perusal of order dated 10.10.2019 shows that it is an admitted fact that on previous date, i.e. 24.5.2019, an adjournment was sought for cross-examination of AR of complainant and last and final opportunity was granted to petitioner for the said purpose.

On 10.10.2019, again an adjournment was sought which was declined by recording that as last and final opportunity for cross-examination of AR of complainant had already been given on previous date of hearing, i.e. on

24.5.2019, accordingly, cross-examination of said witness was closed.

Keeping in view reasons stated in the present petition and in the interest of justice, I hereby set aside order dated 10.10.2019 subject to cost of Rs.20,000/- and out of which Rs.10,000/- shall be deposited in Delhi Police Martyrs Fund and Rs.10,000/- shall be paid to respondent.

The present petition is, accordingly, allowed and disposed of.

Pending application also stands disposed of.

Dasti.

SURESH KUMAR KAIT, J

FEBRUARY 25, 2020/rk