



Cont. P(MD)No.1723 of 2022

BEFORE THE MADURAI BENCH OF MADRAS HIGH COURT

DATED: **09.12.2022**

CORAM

THE HONOURABLE MR. JUSTICE **M.DHANDAPANI**

Cont. P(MD)No.1723 of 2022

in

W.P(MD)No.10848 of 2022

A.Sivanpillai

... Petitioner

Vs.

Shiv Das Meena I.A.S.,
Additional Chief Secretary to Government,
Municipal Administration and Water Supply Department,
Secretariat,
Chennai-600 009.

... Respondent

PRAYER : Contempt Petition filed under Section 11 of the Contempt of Courts Act, to punish the contemnor / first respondent for her willful and deliberate disobedience to the orders of this Court in W.P(MD)No.10848 of 2022, dated 06.06.2022.

For Petitioner : Mr.S.Visvalingam

For Respondent : M/s.K.Christy Theboral,
Additional Government Pleader



Cont. P(MD)No.1723 of 2022

WEB COPY

ORDER

This petition has been filed by the petitioner praying this Court to punish the respondent for wilful disobedience of the order passed by this Court in W.P(MD)No.10848 of 2022, dated 06.06.2022.

2. The case of the petitioner is that the petitioner filed a writ petition for a Writ of Mandamus, directing the first respondent to pass appropriate orders on the petitioner's appeal, dated 16.03.2022, as against the orders passed by the Commissioner of Town Panchayat, Chennai on 08.02.2022. This Court vide order, dated 06.06.2022, issued a direction to the respondent to dispose of the petitioner's appeal within a period of three months from the date of receipt of a copy of the order.

3. Alleging wilful disobedience of the said order, the present contempt petition is filed.

4. When the matter was taken up for hearing today, the learned Additional Government Pleader would submit that pursuant to the order passed by this Court, an order was passed, vide proceedings in Na.Ka.No. 1809/2018/a6, dated 08.02.2022.



Cont. P(MD)No.1723 of 2022

WEB COPY

5. In view of the same, there is no wilful disobedience of the order passed by this Court as alleged by the petitioner. Hence, this contempt petition stands closed.

09.12.2022

Internet : Yes
Index : Yes/No
btr/PM

To

The Additional Chief Secretary to Government,
Municipal Administration and Water Supply Department,
Secretariat,
Chennai-600 009.



WEB COPY



Cont. P(MD)No.1723 of 2022

M.DHANDAPANI, J.

btr/PM

Cont. P(MD)No.1723 of 2022

09.12.2022