



W.P.No.25520 of 2022

IN THE HIGH COURT OF JUDICATURE AT MADRAS

DATED : 04.07.2023

CORAM

THE HONOURABLE MR.JUSTICE C.SARAVANAN

W.P.No.25520 of 2022

and

W.M.P.No.24514 of 2022

G.Arulanantham alias Arul

... Petitioner

Vs

- 1.The Area Engineer,
The Chennai Metropolitan Water Supply and Sewerage Board,
The Area Office-3, No.1, Perumal Koil Street,
Madhavaram, Chennai – 600 060.
- 2.The Senior Accounts Officer,
Chennai Metropolitan Water Supply and Sewerage Borad,
Head Office No.1, Pumping Station Road,
Chindadripet, Chennai – 600 002.
- 3.The Zonal Engineer
The Area Office-3, No.1, Perumal Koil Street,
Madhavaram, Chennai – 600 060.
- 4.The Managing Director,
The Chennai Metropolitan Supply and Sewerage Board,
Head Office No.1, Pumping Station Road,
Chindadripet, Chennai – 600 002.



W.P.No.25520 of 2022

WEB COPY

5.The Thasildar,
Zone-3,
The Area Office-3, No.1, Perumal Koil Street,
Madhavaram,
Chennai – 600 060.

... Respondents

Prayer: Petition filed under Article 226 of the Constitution of India to issue a Writ of Certiorarified Mandamus, to call for the records of the 2nd respondent in respect of the impugned Notice dated 29.09.2021 bearing area division bill number:03/029/00937/000 issued by the 2nd respondent and quash the same and consequently direct the 5th respondent to restrain from giving effect to the advance attachment notice dated 01.08.2022 issued by the 5th respondent pertaining to the payment of water and sewerage tax in respect of the property being: Cinema Theatre, “Meenakshi Theatre” at Chinna Sekkadu, Manali, at No.45, Kamarajar Salai, Chinna Sekadu North, Chennai – 600 068.

For Petitioner : Mr.A.Palaniappan

For Respondents : Mr.N.Paul Sunder Singh



W.P.No.25520 of 2022

WEB COPY

ORDER

In view of the order passed in W.P.No.7441 of 2021, this writ petition is allowed. Accordingly, the impugned Assessment under the provisions of the Tamilnadu Chennai Metropolitan Water Supply and Sewerage Act, 1978, is liable to be quashed.

2.Accordingly, this Writ Petition is allowed. No costs. Consequently, connected miscellaneous petition is closed.

04.07.2023

(2/2)

Index: Yes/ No
Internet : Yes/No
Speaking/Non-speaking Order
Neutral Citation : Yes/No
jas



W.P.No.25520 of 2022

WEB COPY

To

- 1.The Area Engineer,
The Chennai Metropolitan Water Supply and Sewerage Board,
The Area Office-3, No.1, Perumal Koil Street,
Madhavaram, Chennai – 600 060.
- 2.The Senior Accounts Officer,
Chennai Metropolitan Water Supply and Sewerage Board,
Head Office No.1, Pumping Station Road,
Chindadripet, Chennai – 600 002.
- 3.The Zonal Engineer
The Area Office-3, No.1, Perumal Koil Street,
Madhavaram, Chennai – 600 060.
- 4.The Managing Director,
The Chennai Metropolitan Supply and Sewerage Board,
Head Office No.1, Pumping Station Road,
Chindadripet, Chennai – 600 002.
- 5.The Thasildar,
Zone-3,
The Area Office-3, No.1, Perumal Koil Street,
Madhavaram,
Chennai – 600 060.



WEB COPY



W.P.No.25520 of 2022

C.SARAVANAN,J.

jas

W.P.No.25520 of 2022

and

W.M.P.No.24514 of 2022

04.07.2023