



WEB COPY

CRL OP(MD).



23

BEFORE THE MADURAI BENCH OF MADRAS HIGH COURT

( Criminal Jurisdiction )

Date : 09/03/2023

PRESENT

The Hon`ble Mr.Justice G.K.ILANTHIRAIYAN

CRL OP(MD) . No.4499 of 2023

J.Karuppasamy

... Petitioner/Accused No.1

Vs

The Inspector of Police,  
Koomapatti Police Station,  
Virudhunagar District.  
Crime No.01/2023..

... Respondent/Complainant

For Petitioner : M/s.Muthumalai.K.,  
Advocate.

For Respondent : Mr.B.Thanga Aravindh,  
Government Advocate (Crl.Side)

PETITION FOR ANTICIPATORY BAIL Under Sec.438 of Cr.P.C

PRAYER :-

For Anticipatory Bail in Crime No.01 of 2023 on the file of the Respondent Police.

ORDER : The Court made the following order :-

The petitioners, who apprehend arrest at the hands of the respondent Police for the offences punishable under Sections 147, 148, 294(b), 324, 323 and 506(ii) IPC in Crime No.1 of 2023 on the file of the respondent Police, seek anticipatory bail.

2.The case of the prosecution as per the de-facto complainant, is that due to previous enmity, the accused formed themselves into an unlawful assembly, abused him in filthy language, assaulted with iron rod and stone and thereby caused injuries on him. Hence, the complaint.



3. Heard both side and perused the materials available on record including the First Information Report.

4. Taking into consideration of the fact that the petitioner is having 10 previous cases and there is no change in circumstances of the case after the dismissal of the earlier petition, this court is not inclined to grant anticipatory bail to the petitioner.

5. Hence the petition stands dismissed.

sd/-  
09/03/2023

/ TRUE COPY /

/03/2023

Sub-Assistant Registrar (C.S.)  
Madurai Bench of Madras High Court,  
Madurai - 625 023.

aav

TO

1. THE INSPECTOR OF POLICE,  
KOOMAPATTI POLICE STATION,  
VIRUDHUNAGAR DISTRICT.

2 THE ADDITIONAL PUBLIC PROSECUTOR,  
MADURAI BENCH OF MADRAS HIGH COURT, MADURAI.

ORDER  
IN  
CRL OP(MD) No.4499 of 2023  
Date : 09/03/2023

RK/SAR-2 (15/03/2023) 2P/3C