



W.P(MD).No.61 of 2018

BEFORE THE MADURAI BENCH OF MADRAS HIGH COURT

WEB COPY

DATED : 12.08.2024

CORAM:

THE HONOURABLE MR.JUSTICE N.SATHISH KUMAR

**W.P(MD)No.61 of 2018
and WMP(MD)No.51 of 2018**

L.V.R. Fancy Sparklers Factory,
Represented by its partner,
V.Radhakrishnan

... Petitioner

Vs.

1. The Superintending Engineer,
TANGEDCO,
Virudhunagar District,
Virudhunagar.

2. The Executive Engineer,
TANGEDCO,
Virudhunagar District,
Virudhunagar.

3. The Assistant Engineer,
TANGEDCO,
S.N.Puram,
Sivakasi Circle,
Virudhunagar District,
Virudhunagar.

4. The Deputy Chief Controller of Explosives,
Sivakasi FRDC Complex,
Near ESI Hospital,
Sivakasi West,



W.P(MD).No.61 of 2018

Virudhunagar District.

WEB COPY

5. Sivajothi Fire Works Industries,
A Partnership Firm Through
its Partner Muthukumar @ J.Viram Muthukumar
Having Office at 1299,
Gnanagiri Road, Sivakasi.

... Respondents

PRAYER: Petition filed under Article 226 of the Constitution of India to issue a Writ of Mandamus, directing the respondents 1 to 3 to remove the electric poles erected in S.No.166, 167, 168, 181 and 182 at Kalayarkurichi Village, Sivakasi Taluk, Virudhunagar District.

For Petitioner : Mr.S.Venkatesh

For R1 to R3 : Mr.S.Deenadhayalan
Standing Counsel

For R4 : Mr.A.Kannan
Additional Government Pleader

ORDER

When the matter is taken up for hearing, the learned counsel for the petitioner seeks permission of this Court to withdraw this writ petition and he has filed a memo to that effect.



W.P(MD).No.61 of 2018

WEB COPY

2. Recording the said memo, this writ petition is dismissed as withdrawn. No Costs. Consequently, connected miscellaneous petition is closed.

12.08.2024

NCC : Yes/No
Index : Yes/No
P JL

To
The Deputy Chief Controller of Explosives,
Sivakasi FRDC Complex,
Near ESI Hospital,
Sivakasi West,
Virudhunagar District.



WEB COPY



W.P(MD).No.61 of 2018

N.SATHISH KUMAR, J.

PJL

W.P(MD)No.61 of 2018
and
WMP(MD)No.51 of 2018

12.08.2024