



W.A.(MD)No.2334 of 2024

BEFORE THE MADURAI BENCH OF MADRAS HIGH COURT

WEB COPY

DATED :18.11.2024

CORAM

**THE HONOURABLE MR.JUSTICE M.S. RAMESH
AND
THE HONOURABLE DR.JUSTICE A.D.MARIA CLETE**

W.A.(MD) No.2334 of 2024
and
C.M.P.(MD)No.16097 of 2024

M.Shambasivam

... Appellant

Vs

1. The Director,
Department of Public Health and
Disease Preventive Medicine,
Chennai-600 006.
- 2.The Joint Director,
Department of Public Health and
Disease Preventive Medicine,
Chennai-600 006.
- 3.The Chief Water Analyst,
Regional Public Water Analyst Laboratory,
Trichirapalli-620 020,
Trichy District.

... Respondents

PRAYER :- Writ Appeal filed under Clause 15 of Letters patent against the order dated 27.09.2024 passed by this Court in W.P.(MD)No. 23219 of 2024.



W.A.(MD)No.2334 of 2024

For Appellant : Mr.I.Velpradeep
For Respondents : Mr.S.R.A.Ramachandran
Additional Government Pleader

JUDGMENT

(Judgment of the Court was delivered by M.S.RAMESH, J.)

Challenge is made to the order of the writ Court dated 27.09.2024 in W.P.(MD) No. 23219 of 2024.

2.On the ground that the appellant herein is physically challenged and hence, he ought not to have been transferred to any other office from Trichy to Dindigul District, when he had preferred the writ petition by placing reliance upon the letter dated 22.07.2009 issued by the Chief Secretary to Government, the learned Single Judge had dismissed the same, by an order dated 27.09.2024. The order of dismissal is under challenge before us.

3.During the pendency of the appeal, we had called upon the learned Additional Government Pleader to explore the possibilities of



W.A.(MD)No.2334 of 2024

accommodating the appellant inside Trichy District itself in view of his physical ailment.

4.Today, when the matter is called, the learned Additional Government Pleader, on oral instructions from Mr.G.Subramanian, Chief Water Analyst, Department of Public Health and Preventive Medicine, Chennai, submitted that there is a vacancy in the post of Office Assistant at the office of the Designated Officer in the Food Safety and Drug Administrative Department, Tiruchirappalli, in which they are willing to accommodate the appellant herein and such order of transfer will be passed at the earliest.

5.To such an offer, the learned counsel for the petitioner also expressed his willingness to join at Trichy.

6.As such, the grievance of the appellant stands redressed and no further orders are required to be passed in this writ appeal. Accordingly, this Writ Appeal stands closed with a direction to the first respondent herein to pass appropriate orders as aforesaid as expeditiously as



W.A.(MD)No.2334 of 2024

possible. No costs. Consequently, connected miscellaneous petition is closed.

[M.S.R.,J] [A.D.M.C.,J]
18.11.2024

NCC : Yes/No
Index : Yes/No

ta

To

1. The Director,
Department of Public Health and
Disease Preventive Medicine,
Chennai-600 006.
2. The Joint Director,
Department of Public Health and
Disease Preventive Medicine,
Chennai-600 006.
3. The Chief Water Analyst,
Regional Public Water Analyst Laboratory,
Trichirapalli-620 020,
Trichy District.



WEB COPY



W.A.(MD)No.2334 of 2024

**M.S.RAMESH,J
AND
A.D.MARIA CLETE, J.**

ta

ORDER IN
W.A.(MD)No.2334 of 2024

Date :18.11.2024