



W.P.(MD)No.8951 of 2020

BEFORE THE MADURAI BENCH OF MADRAS HIGH COURT

WEB COPY

DATED : 26.08.2025

CORAM:

THE HONOURABLE MR.JUSTICE S.M.SUBRAMANIAM

AND

THE HONOURABLE MR.JUSTICE G.ARUL MURUGAN

W.P.(MD)No.8951 of 2020

and


W.M.P(MD)No.8185 of 2020

T.Antro Praveen Singh

... Petitioner

-Vs-

- 1.The Secretary to Government,
Department of Health and Family Welfare,
Secretariat, Chennai.**
- 2.The Chief Engineer,
State Ground and Surface Water
Resources Data Centre, Tharamani,
Chennai.**
- 3.The District Collector,
Nagercoil,
Kanyakumari District.**
- 4.Revenue Divisional Officer,
Padmanabhapuram,
Kanyakumari District.**



W.P.(MD)No.8951 of 2020

5.The District Environment Engineer,
TN Pollution Control Board,
3181 46A, Water Tank Road,
Nagercoil,
Kanyakumari District.

6.The Assistant Engineer,
Ground Water Division,
PWD Compound,
Veppa Moodu Junction,
Nagercoil, Kanyakumari District.

7.The Executive Officer,
Kallukoodam Town Panchayat,
Kanyakumari District.

8.Ubalt Raj

9.G.Sahaya Rajesh

... Respondents

PRAYER: Petition filed under Article 226 of the Constitution of India, to issue a Writ of Mandamus, directing the respondents 1 to 7 to take appropriate steps against the 8th and 9th respondents and stop the illegal constructions of Ice Plant in the residential area thereby preventing illegal drawing of ground water for commercial purpose of manufacturing ice at Survey No.681/4B at Lekshmipuram Village, Kanyakumari District by considering the representation of the petitioner dated 06.02.2020.

For Petitioner	: Mr.S.C.Herold Singh
For R1 to R4	: Mr.M.Sarangan
R6 & R7	Additional Government Pleader
For R5	: Mrs.Madhuri Donti Reddy
	Standing Counsel
For R8 & R9	: Mr.A.Balakrishnan



W.P.(MD)No.8951 of 2020

WEB COPY

ORDER

(Order of the Court was made by S.M.SUBRAMANIAM, J.)

The learned Additional Government Pleader appearing for the respondents 1 to 4, 6 & 7, on instructions, would submit that the Ice Plant is non functional. It is needless to state that Ice plant is to be run by duly obtaining the permission / licence as the case may be. Since in the present case, the Ice Plant is non functional, no further adjudication is required and the writ petition stands closed. No costs. Consequently, connected miscellaneous petition is closed.

(S.M.S., J.) & (G.A.M., J.)
26.08.2025

NCC : Yes / No

Index : Yes / No

am



W.P.(MD)No.8951 of 2020

WEB COPY

- To**
- 1.The Secretary to Government,
Department of Health and Family Welfare,
Secretariat, Chennai.
 - 2.The Chief Engineer,
State Ground and Surface Water
Resources Data Centre, Tharamani,
Chennai.
 - 3.The District Collector,
Nagercoil,
Kanyakumari District.
 - 4.Revenue Divisional Officer,
Padmanabhapuram,
Kanyakumari District.
 - 5.The Assistant Engineer,
Ground Water Division,
PWD Compound,
Veppa Moodu Junction,
Nagercoil, Kanyakumari District.
 - 6.The Executive Officer,
Kallukoodam Town Panchayat,
Kanyakumari District.



WEB COPY



W.P.(MD)No.8951 of 2020

S.M.SUBRAMANIAM, J.
AND
G.ARUL MURUGAN, J.
am

W.P.(MD)No.8951 of 2020

26.08.2025