



W.P(MD)No.17110 of 2025

BEFORE THE MADURAI BENCH OF MADRAS HIGH COURT

DATED : 28.07.2025

CORAM:

THE HONOURABLE MRS.JUSTICE S.SRIMATHY

W.P(MD)No.17110 of 2025

and


W.M.P(MD)Nos.12972 & 12973 of 2025

V.G.Kandasamy

... Petitioner

Vs

1. The Chief Engineer and Director,
Public Work and Water Resource Department,
Trichy Division,
Subramaniyapuram,
Trichy District.
2. The Executive Engineer,
Public Work and Water Resource Department,
Kallanai Canal Division,
Thanjavur District.
3. The Assistant Executive Engineer,
Public Work and Water Resource Department,
Kallanai Canal Remodeling and Sub Divison,
Peravurani,
Thanjavur District.
4. The Assistant Executive Engineer,
Public Work and Water Resource Department,
Kallanai Canal Division,
Nagudi Section,
Pudukottai District.



W.P(MD)No.17110 of 2025

5. The Inspector of Police,
Nagudi Police Station,
Aranthangi Taluk,
Pudukottai District.

6. Chinathambi

7. Mohan

8. Balakrishnan

9. Mariyappan

10. Maruthupandi

... Respondents

PRAYER : Writ Petition filed under Article 226 of the Constitution of India praying for issuance of a Writ of Mandamus, to forbear the respondents 1 to 4 from conducting fishing auction in Pattamudaiyan Tank situated at S.F.No. 8 at Pattamudaiyan Village, Avudaiyarkovil Taluk, Pudukkottai District, by violating the condition of the auction by continuously draining and wasting the water from the tank, on the basis of the petitioner's representations dated 16.04.2025 and 18.06.2025 and take necessary action against the private Respondents.

For Petitioner : Mr.T.Vadivelan

For R-1 to R-4 : M.Lingadurai
Special Government Pleader

For R-5 : Mrs.M.Aasha
Government Advocate (Crl. Side)



W.P(MD)No.17110 of 2025

ORDER

WEB COPY


When the matter was taken up for hearing, the learned Special Government Pleader submitted that the petitioner's complaint was on record and that a CSR has been registered. However, the petitioner is not cooperating for further investigation. Therefore, the petitioner is directed to appear before the respondent police, and the petitioner's complaint shall be taken to its logical end.

2. Accordingly, this Writ Petition is closed. There shall be no order as to costs. Consequently, connected miscellaneous petitions are closed.

28.07.2025

NCC : Yes / No
Index : Yes / No
Internet : Yes

jbr



W.P(MD)No.17110 of 2025

To:

WEB COPY

1. The Chief Engineer and Director,
Public Work and Water Resource Department,
Trichy Division,
Subramaniyapuram,
Trichy District.
2. The Executive Engineer,
Public Work and Water Resource Department,
Kallanai Canal Division,
Thanjavur District.
3. The Assistant Executive Engineer,
Public Work and Water Resource Department,
Kallanai Canal Remodeling and Sub Division,
Peravurani,
Thanjavur District.
4. The Assistant Executive Engineer,
Public Work and Water Resource Department,
Kallanai Canal Division,
Nagudi Section,
Pudukottai District.
5. The Inspector of Police,
Nagudi Police Station,
Aranthangi Taluk,
Pudukottai District.



WEB COPY



W.P(MD)No.17110 of 2025

S.SRIMATHY, J.

jbr

ORDER MADE IN
W.P(MD)No.17110 of 2025

DATED : 28.07.2025