



W.P(MD)No.18001 of 2025

BEFORE THE MADURAI BENCH OF MADRAS HIGH COURT

DATED : 03.07.2025

WEB COPY

CORAM

**THE HONOURABLE MR.JUSTICE C.SARAVANAN**

W.P(MD)No.18001 of 2025

K.Murugan

... Petitioner

**Vs.**

- 1.The Commissioner of Town Panchayats,  
Directorate of Town Panchayats,  
No.7th and 8th Floor,  
Urban Administrative Office Campus,  
Chennai - 600 028.
- 2.The Additional Director of Town Panchayats,  
Directorate of Town Panchayats,  
No.7th and 8th Floor,  
Urban Administrative Office Campus,  
Chennai - 600 028.
- 3.The Chief Engineer,  
Directorate of Town Panchayats,  
No.7th and 8th Floor,  
Urban Administrative Office Campus,  
Chennai - 600 028.
- 4.The Executive Engineer,  
Directorate of Town Panchayats,  
No.7th and 8th Floor,  
Urban Administrative Office Campus,  
Chennai - 600 028.



W.P(MD)/No.18001 of 2025

5. The Assistant Director of Town Panchayats,  
Jawahar Nagar,  
NGO Colony,  
Palayamkottai,  
Tirunelveli - 627 007.

6. The Executive Engineer,  
O/o. the Town Panchayats,  
Cheranmahadevi Town Panchayats,  
Tirunelveli District.

...Respondents

**Prayer:** Writ Petition filed under Article 226 of the Constitution of India, praying this Court to issue a Writ of Mandamus, directing the respondents to remove the illegally laid PVC (Poly Vinyl Chloride) water pipeline from the petitioner's patta land bearing Survey No.810/10 to an extent of 6 cents situated at Gopalamudram Village in Tirunelveli District bearing Patta No. 193 forthwith by considering the petitioner's representation dated 29.05.2025 within a time frame to be stipulated by this Court.

For Petitioner : Mr.G.Anto Prince

For Respondents : Mr.C.Satheesh  
Government Advocate

### **ORDER**

This writ petition has been filed for a Mandamus to direct the respondents to remove the illegally laid PVC (Poly Vinyl Chloride) water pipeline from the petitioner's patta land bearing Survey No.810/10 to an extent of 6 cents at Gopalamudram Village in Tirunelveli District bearing



*W.P(MD)/No.18001 of 2025*

Patta No.193 forthwith by considering the petitioner's representation dated 29.05.2025.

2. It appears that the petitioner has submitted a representation, dated 29.05.2025 to the respondents to remove the PVC water pipeline, which is running on the petitioner's patta land for supplying water to the neighbours.


3. The learned Government Advocate for the respondents, on instructions, submits that that the said PVC pipeline will be removed within a period of four weeks from today by the fifth respondent.

4. Recording the same, this writ petition is disposed of by directing the fifth respondent to remove the PVC pipeline within a period of four weeks from today. No costs.

**03.07.2025**

NCC : Yes / No  
Index : Yes / No  
Internet : Yes / No  
sn

3/5



*W.P(MD)No.18001 of 2025*

**To**

1. The Commissioner of Town Panchayats,  
Directorate of Town Panchayats,  
No.7th and 8th Floor,  
Urban Administrative Office Campus,  
Chennai - 600 028.
2. The Additional Director of Town Panchayats,  
Directorate of Town Panchayats,  
No.7th and 8th Floor,  
Urban Administrative Office Campus,  
Chennai - 600 028.
3. The Chief Engineer,  
Directorate of Town Panchayats,  
No.7th and 8th Floor,  
Urban Administrative Office Campus,  
Chennai - 600 028.
4. The Executive Engineer,  
Directorate of Town Panchayats,  
No.7th and 8th Floor,  
Urban Administrative Office Campus,  
Chennai - 600 028.
5. The Assistant Director of Town Panchayats,  
Jawahar Nagar,  
NGO Colony,  
Palayamkottai,  
Tirunelveli - 627 007.
6. The Executive Engineer,  
O/o. the Town Panchayats,  
Cheranmahadevi Town Panchayats,  
Tirunelveli District.



WEB COPY



*W.P(MD)No.18001 of 2025*

**C.SARAVANAN, J.**

sn

W.P(MD).No.18001 of 2025

03.07.2025