



W.P.(MD).No.18760 of 2025

BEFORE THE MADURAI BENCH OF MADRAS HIGH COURT

WEB COPY

DATED : 11.07.2025

CORAM

THE HONOURABLE MR.JUSTICE C.SARAVANAN

W.P(MD) No.18760 of 2025 and
W.M.P(MD) No.14391 of 2025

Pathaiya Ponnu

... Petitioner

Vs.

- 1.The Divisional Engineer,
Highways Department,
Madurai - 2.
- 2.The Commissioner,
Madurai Corporation,
Madurai - 2.
- 3.The General Manager,
Madurai District Cooperative Milk
Producers Union Limited,
Sivagangai Main Road,
Sathamangalam,
Virudhunagar District.

...Respondents

Prayer : Writ Petition filed under Article 226 of the Constitution of India, praying this Court to issue a Writ of Mandamus, to direct the respondent Nos.1 and 2 to restore the petitioners Aavin Booth retail shop at State Highway Madurai - Natham Road Kilometre 1/400 and to permit the petitioner to run her as per license Aavin Booth retail shop as per the license granted by the 1st respondent in his proceedings Ka.En.935/2024/Ee.Va.2/dated 23.05.2024 and to pay Rs.1,00,000/- (Rupees One Lakh only) as compensation for the damages



W.P.(MD).No.18760 of 2025

caused to the petitioner's Aavin Booth by the respondent Nos.1 and 2.

WEB COPY

For Petitioner	: Mr.R.Rajamohan
For R1	: Mr.D.Ghandiraj Special Government Pleader
For R2	: M/s.S.Devasena, Standing Counsel
For R3	: Mr.K.Prabhu

ORDER

This Writ Petition is disposed of at the time of admission after hearing the learned counsel for the petitioner and the learned Senior Standing Counsel appearing for the respondent.

2. The petitioner claims to have obtained a license from both the Highways Department and Aavin for running a aavin milk booth. However, pursuant to the order passed by this Court, a drive was made by the first respondent to remove the encroachment on the public places.

3. It is further submitted by the learned counsel for the first respondent that, although the petitioner was licensed to vend Aavin products, the petitioner




W.P.(MD).No.18760 of 2025

was, in fact, vending flowers, which is contrary to the terms of the license obtained by the petitioner.

4. The learned counsel for the third respondent also confirms that the petitioner's last purchase was only five litres of milk, and it is evident that the said quantity was not intended for retail sale, for which the petitioner had obtained a license from the Highways Department and the third respondent.

5. That apart, it is informed that the license issued by the Highways Department to the petitioner has also expired. Be that as it may, since the petitioner has been removed from the place, where the petitioner was carrying on his business, the Court had directed the learned Standing Counsel for the first respondent to report as to whether the petitioner can be rehabilitated to any other suitable location. In response, the first respondent, vide letter, dated 10.07.2025 has agreed to an alternate site to the petitioner, subject to certain conditions. The contents of the said letter are extracted hereunder:



W.P.(MD).No.18760 of 2025

WEB COPY

ஆவின் பாலகம் அமைக்க பரிந்துரைக்கப்படும் மாற்று இடம்:


கருப்பாயூரணி - கார்சேரி சாலை (இதர மாவட்ட சாலை) கி.மீ. 0/0 - 2/0-க்குள் (கருப்பாயூரணி முதல் ஆண்டார்கொட்டாரம் வரை) ஏதேனும் ஓர் இடம்.

மனுதாரர் பின்பற்ற வேண்டிய நிபந்தனைகள்:

1. புதிய ஆவின் பாலகம் அமையவிருக்கும் இடம் போக்குவரத்துக்கு இடையூறு ஏற்படும் இடமாகவோ அல்லது வடிகால் மூடும் வகையிலோ இருக்கக்கூடாது.
2. புதிய ஆவின் பாலகம் அமையவிருக்கும் இடம் ஏதேனும் தனியார் இடத்திற்கு முன்பு அமைக்க வேண்டியிருப்பின் அத்தனியார் இடத்தின் உரிமையாளரிடமிருந்து தடையில்லா சான்று பெற்று சமர்ப்பிக்கப்பட வேண்டும்.
3. புதிய ஆவின் பாலகத்தில் ஆவின் பொருட்கள் தவிர்த்து வேறு பொருட்கள் ஏதேனும் விற்பனை செய்யப்படாது என்ற உறுதிமொழி சமர்ப்பிக்கப்பட வேண்டும்.
4. நெடுஞ்சாலைத்துறைக்குச் சொந்தமான மரங்களோ மரக்கிளைகளோ வேறு ஏதேனும் கட்டுமானங்களோ சேதமாகாத இடமாக இருக்க வேண்டும்.
5. நெடுஞ்சாலைக்குச் சொந்தமான இடமாக இருந்தாலும் உள்ளூர் நிர்வாகத்தின் (மாநகராட்சி/பேரூராட்சி/பஞ்சாயத்து) அனுமதி பெற்று சமர்ப்பிக்கப்பட வேண்டும். மேலும் உள்ளூர் நிர்வாகத்திற்கு செலுத்தப்பட வேண்டிய வரி முறையாக செலுத்தப்பட வேண்டும்.
6. இந்த அனுமதி தமிழ்நாடு நெடுஞ்சாலை சட்ட விதி 2001 தொகுதி - V பத்தி 26(2)-ன் படி தற்காலிக அனுமதியின் பேரில் ஒரு வருட காலத்திற்கு வழங்கப்படும்.
7. அனுமதி காலத்திற்குள் நெடுஞ்சாலை துறைக்கு இடம் தேவைப்படும் பட்சத்தில் ஆவின் பாலகத்தை காலி செய்து இடத்தை முன் இருந்த படி சீர் செய்து நெடுஞ்சாலைத்துறைக்கு ஒப்படைக்க வேண்டும்.

மேற்கண்ட நிபந்தனைகளுக்குட்பட்டு கருப்பாயூரணி - கார்சேரி சாலை (இதர மாவட்ட சாலை) கி.மீ. 0/0 - 2/0-க்குள் (கருப்பாயூரணி முதல் ஆண்டார்கொட்டாரம் வரை) ஏதேனும் ஓர் இடத்தில் மனுதாரர் புதிய ஆவின் பாலகம் அமைக்க இடம் தேர்வு செய்து முறைப்படி ஆவின் நிறுவனத்தின் பரிந்துரையின் படி மனு அளிக்கும்பட்சத்தில் அவருக்கு மேற்கண்ட நிபந்தனைகளின் அடிப்படையில் தற்காலிக அனுமதி வழங்கப்படும் என பணிந்து தெரிவித்துக்கொள்கிறேன்.


கோட்டப் பொறியாளர் (நெ),
கட்டுமானம் (ம) பராமரிப்பு,
மதுரை.



W.P.(MD).No.18760 of 2025

WEB COPY

ஆவின் பாலகம் அமைக்க பரிந்துரைக்கப்படும் மாற்று இடம்:


கருப்பாயூரணி - கார்சேரி சாலை (இதர மாவட்ட சாலை) கி.மீ. 0/0 - 2/0-க்குள் (கருப்பாயூரணி முதல் ஆண்டார்கொட்டாரம் வரை) ஏதேனும் ஓர் இடம்.

மனுதாரர் பின்பற்ற வேண்டிய நிபந்தனைகள்:

1. புதிய ஆவின் பாலகம் அமையவிருக்கும் இடம் போக்குவரத்துக்கு இடையூறு ஏற்படும் இடமாகவோ அல்லது வடிகால் மூடும் வகையிலோ இருக்கக்கூடாது.
2. புதிய ஆவின் பாலகம் அமையவிருக்கும் இடம் ஏதேனும் தனியார் இடத்திற்கு முன்பு அமைக்க வேண்டியிருப்பின் அத்தனியார் இடத்தின் உரிமையாளரிடமிருந்து தடையில்லா சான்று பெற்று சமர்ப்பிக்கப்பட வேண்டும்.
3. புதிய ஆவின் பாலகத்தில் ஆவின் பொருட்கள் தவிர்த்து வேறு பொருட்கள் ஏதேனும் விற்பனை செய்யப்படாது என்ற உறுதிமொழி சமர்ப்பிக்கப்பட வேண்டும்.
4. நெடுஞ்சாலைத்துறைக்குச் சொந்தமான மரங்களோ மரக்கிளைகளோ வேறு ஏதேனும் கட்டுமானங்களோ சேதமாகாத இடமாக இருக்க வேண்டும்.
5. நெடுஞ்சாலைக்குச் சொந்தமான இடமாக இருந்தாலும் உள்ளூர் நிர்வாகத்தின் (மாநகராட்சி/பேரூராட்சி/பஞ்சாயத்து) அனுமதி பெற்று சமர்ப்பிக்கப்பட வேண்டும். மேலும் உள்ளூர் நிர்வாகத்திற்கு செலுத்தப்பட வேண்டிய வரி முறையாக செலுத்தப்பட வேண்டும்.
6. இந்த அனுமதி தமிழ்நாடு நெடுஞ்சாலை சட்ட விதி 2001 தொகுதி - V பத்தி 26(2)-ன் படி தற்காலிக அனுமதியின் பேரில் ஒரு வருட காலத்திற்கு வழங்கப்படும்.
7. அனுமதி காலத்திற்குள் நெடுஞ்சாலை துறைக்கு இடம் தேவைப்படும் பட்சத்தில் ஆவின் பாலகத்தை காலி செய்து இடத்தை முன் இருந்த படி சீர் செய்து நெடுஞ்சாலைத்துறைக்கு ஒப்படைக்க வேண்டும்.

மேற்கண்ட நிபந்தனைகளுக்குட்பட்டு கருப்பாயூரணி - கார்சேரி சாலை (இதர மாவட்ட சாலை) கி.மீ. 0/0 - 2/0-க்குள் (கருப்பாயூரணி முதல் ஆண்டார்கொட்டாரம் வரை) ஏதேனும் ஓர் இடத்தில் மனுதாரர் புதிய ஆவின் பாலகம் அமைக்க இடம் தேர்வு செய்து முறைப்படி ஆவின் நிறுவனத்தின் பரிந்துரையின் படி மனு அளிக்கும்பட்சத்தில் அவருக்கு மேற்கண்ட நிபந்தனைகளின் அடிப்படையில் தற்காலிக அனுமதி வழங்கப்படும் என பணிந்து தெரிவித்துக்கொள்கிறேன்.


கோட்டப் பொறியாளர் (நெ),
கட்டுமானம் (ம) பராமரிப்பு,
மதுரை.



W.P.(MD).No.18760 of 2025

6. Since the first respondent are willing to accommodate the petitioner at the alternate site, the first respondent is directed to do so in accordance with the aforesaid letter, dated 10.07.2025. It is open to the petitioner to make a living from the said place, if he so desires.

7. With the above direction and liberty, this Writ Petition is disposed of. Consequently, connected Miscellaneous Petition is closed. No costs.

11.07.2025

NCC : Yes / No
Index : Yes / No
Internet : Yes / No

Indu



W.P.(MD).No.18760 of 2025

WEB COPY

To

- 1.The Divisional Engineer,
Highways Department,
Madurai - 2.
- 2.The Commissioner,
Madurai Corporation,
Madurai - 2.
- 3.The General Manager,
Madurai District Cooperative Milk
Producers Union Limited,
Sivagangai Main Road,
Sathamangalam,
Virudhunagar District.



WEB COPY



W.P.(MD).No.18760 of 2025

C.SARAVANAN, J.

Indu

W.P(MD) No.18760 of 2025

11.07.2025