



W.P.(MD).No.21187 of 2023

BEFORE THE MADURAI BENCH OF MADRAS HIGH COURT

WEB COPY

DATED : 16.07.2025

CORAM

THE HONOURABLE MR.JUSTICE C.SARAVANAN

W.P(MD) No.21187 of 2023 and
W.M.P(MD) Nos.17595 and 17598 of 2023

B.Kaviya

... Petitioner

Vs.

1.The Chief Engineer (Personnel),
Tamil Nadu Electricity Board,
No.100, Anna Salai,
Chennai - 600 002.

2.The Superintending Engineer,
TNEB/TANGEDCO,
Ramanathapuram,
Ramanathapuram District.

3.The Assistant Executive Engineer,
TNEB/TANGEDCO,
Muthukulaththur,
Ramanathapuram District.

...Respondents

Prayer : Writ Petition filed under Article 226 of the Constitution of India, praying this Court to issue a Writ of Certiorarified mandamus, to call for the records pertaining to the impugned order in Ka.No.Oo.Mi.Po./ViNi/Muthuvai/Ko/A.No.517/23 dated 10.07.2023 issued by the Respondent No.3 and quash the same as illegal and consequently directing the respondents to pay compensation a sum of Rs.20,00,000/- for the death of



W.P.(MD).No.21187 of 2023

the petitioners Husband (late) Balamurugan aged 24 years due to electrocution
by considering the representation, dated 20.05.2023.

For Petitioner : Mr.I.Pinaygash
For Respondents : Mr.S.Deenadhayalan,
Standing Counsel

ORDER

This Writ Petition is disposed of at the time of admission after hearing the learned counsel for the petitioner, the learned Standing Counsel for the respondents.

2. The petitioner is before this Court for the second time with the present Writ Petition. The Writ Petition is challenged the impugned order passed by the third respondent, dated 10.07.2023, wherein the request of the petitioner for the compensation on account of death of the petitioner's husband on 19.05.2023 due to electrocution, has been rejected. The relevant portions of the impugned are read as under:



W.P.(MD).No.21187 of 2023


மேற்கண்ட பார்வையின் படி தாங்கள் மதுரை உயர்நீதி மன்ற கிளையில் தாங்களின் கணவர் திரு பாலமுருகன் என்பார் கடந்த 19.05.2023 அன்று நடந்த மின் விபத்தில் உயிர் இழந்ததை தொடர்ந்து நிவாரணம் கோரி வழக்கு தொடர்ந்து உள்ளீர்கள்.அது சம்பந்தமாக கீழ் கண்டவாறு விளக்கம் அளிக்க படுகிறது .

தடந்த 19.05.2023 அன்று தாங்கள் கணவர் திரு பாலமுருகன் என்பார்க்கு ஏற்பட்ட விபத்து சம்பந்தமாக ஆய்வு செய்த போது மேற்படி விபத்து பதிவு எண் இல்லாத டிராக்டர் ஆனது அதன் டிரைலர் ஜ தூக்கிய படியே வந்து உயர் மின் அழுத்த மின் பாதைக்கு கீழ் சென்ற காரணமாக டிரைலர் மின்கம்பியை உரசி உள்ளது.அதே நேரத்தில் டிரைலரை தொட்ட தங்களின் கணவர் திரு.பாலமுருகன் வயது 24 என்பார் மின் அதிர்ச்சி ஏற்பட்டு உயிரிழந்து உள்ளார் என்ற விவரம் தெரியப்பட்டது .

இந்த விபத்து ஆனது முழுக்க முழுக்க டிராக்டர் டிரைவரின் (திரு முகேஷ் -காந்தி நகர்) என்பாரின் கவனக்குறைவே ஆகும் .ஏனென்றால் மேற்படி டிரைவர் டிரைலரை தூக்கிய படியே வந்தது மட்டுமல்லாமல் உயர் அழுத்த மின் பாதைக்கு கீழ் வந்தது மிகவும் அலட்சியமாகும்.மேலும் அந்நிலையிலேயே மேற்படி டிரைலர் பழுதை சரி செய்ய பலியான நபரை அழைத்து வந்து உயிர் இழப்பிற்கு காரணமாக இருந்துள்ளார்.இந்த விபத்திற்கு முழுக்க முழுக்க டிரைவர் கவன குறைவே காரணம் ஆகும். அதற்கான புகைப்படங்கள் இத்துடன் இணைக்க பட்டுள்ளது . எனவே மேற்படி விபத்திற்கு மின் வாரியம் காரணமல்ல என்பதையும்,

ஏற்படுத்திய டிரைவரே காரணம் என்பதால் மின் வாரியம் இழப்பீடு வழங்க இயலாதுஎன்பதை தங்களுக்கு இதன்மூலம் தெரிவித்து கொள்ளப்படுகிறது

3. Earlier, the petitioner had approached this Court in W.P(MD) No.14824 of 2023 seeking a Mandamus, to direct the respondents to pay compensation for Rs.20,00,000/- for the death of the petitioner's husband Late Balamurugan, who was aged about 22 years at that time of death, based on the petitioner's representation dated 20.05.2023 within the time to be stipulated by this Court. An interim order came to be passed on 22.06.2023, wherein this Court had directed the respondents to pay the sulatium/*ex gratia* as per the existing Board proceedings of 2019. It is informed that the Writ Petition is still pending and no final orders have been passed.




W.P.(MD).No.21187 of 2023

4. It is informed by the learned counsel for the petitioner and also the learned counsel for the respondents that the said Writ Petition is pending as on date.

5. It is noted that there is no dispute regarding the fact that the petitioner's husband died due to electrocution. However, in the impugned order, it has been stated that compensation is to be claimed from the driver of the tractor, who had permitted the petitioner's husband to travel on it, and due to his act, the accident occurred, resulting in the petitioner's husband being thrown off and electrocuted.

6. It is noticed that the petitioner has enclosed a copy of a letter of the Ward Councillor, dated 30.09.2022, wherein the Ward Councillor has informed the third respondent regarding the high tension wire, which was at a low altitude and was the risk of causing danger to the public. Content of the above said communication, dated 30.09.2022, signed by the Ward Councillor is extracted below:



W.P.(MD).No.21187 of 2023

WEB COPY

பேராதர் :

உதவி மின் பொறியாளர் அவர்கள்,
தமிழ்நாடு மின் பகிர்மான கழகம்,
முதுகுளத்தூர்.

பொருள் : ஐந்து இலட்சம் மேல்நிலை நீர் தேக்க தொட்டி எதிர்ப்பும்
அமைந்துள்ள தாழ்வாக செல்லும் HT Line -னை சரி செய்து
தருவது சம்மந்தமாக.

அய்யா,

முதுகுளத்தூர் பேரூராட்சி 2வது வார்டில் அமைந்துள்ள
ஐந்து இலட்சம் மேல்நிலை நீர் தேக்க தொட்டியின் எதிர்ப்பும் அமைந்துள்ள தங்கனது
வாரியத்தின் தாழ்வழுத்த HT Line - மின் கம்பி மிகவும் கீழ் தொங்கி செல்வதால்
விபத்துக்கள் ஏற்படுவதற்கு அதிக வாய்ப்பு உள்ளதால் மின் கம்பியை இழுத்து கட்டி
தருமாறும் அல்லது இரண்டு மின் கம்பங்களுக்கு இடையில் ஒரு மின் கம்பம் நட்டு மின்
கம்பியை இழுத்து கட்டி தருமாறு உயர்திரு உதவி மின் பொறியாளர் அவர்களை
பணிவுடன் கேட்டுக்கொள்கிறேன்.

நாள் : 30.09.2022

இடம் : முதுகுளத்தூர்.


இப்படிக்கு

N.பார்வதி

N.பார்வதி

2வது வார்டு கவுன்சிலர், முதுகுளத்தூர்
அண்ணா திராவிட முன்னேற்றக் கழகம்
தம்பெத்தூர் நகர்
முதுகுளத்தூர் வட்டம் - 605004
செல்: 9952469695

7. However without considering the same, the impugned order has been passed. Prima facie, there are indications that the petitioner's husband died due to electrocution. As per Board proceedings dated 16.10.2019 bearing reference (Per). (FB) TANGEDCO Proceedings No.6, the *ex-gratia* was fixed at Rs.5,00,000/- for fatal accident, which has been now enhanced to Rs.10,00,000/- by the Board proceedings dated 21.12.2024 bearing reference (Per). (FB) TNPDC Proceedings No.11. The relevant portion of the Board proceedings No.11 is extracted hereunder:



W.P.(MD).No.21187 of 2023

WEB COPY

**TAMIL NADU POWER DISTRIBUTION CORPORATION LIMITED
(ABSTRACT)**

Electrical Accident - Compensation payable by TNPDC in cases of Fatal/Non-Fatal, Non-Departmental, Mechanical/Electrical accidents to human beings/animals - Enhancement of payment of compensation to human beings - Orders issued.

(ADMINISTRATIVE BRANCH)

(Per.) (FB) TNPDC Proceedings No. 11

Dated : 21.12.2024
Maargazhi : 06, Kurothi Varudam,
Thiruvalluvar Aandu 2055

Read

- 1) (Per.) (FB) TANGEDCO Proceedings No.6, dated 16.10.2019.
- 2) Extract from the Minutes of 126th Board Meeting of the TNPDC held on 25.11.2024.

PROCEEDINGS:

In the Proceedings first read above, orders were issued enhancing the payment of Compensation to the legal heirs of the Non-Departmental persons/animals in case of death due to Electrical/Mechanical Accidents as follows:-

1.	For Fatal	=	Rs.5,00,000/-
2.	For Non-Fatal		
	a) Loss of two limbs or two eyes	=	Rs.2,00,000/-
	b) Loss of one limb or one eye.	=	Rs.1,00,000/-
3.	Animals (Cow/Bufalow/Bullock)	=	Rs.25,000/-

2) Usually fatal electrical accidents occur when the victims come into contact with snapped conductor and live wire from the overhead lines and also because of leakage of electricity in the case of under ground cables due to natural calamities like heavy wind, rain etc. and other unforeseen causes. On such happenings, as and when the legal heirs of the deceased approaches the Court, there are instances wherein enhanced compensation has been ordered by the Courts with interest to the dependants and this causes huge financial loss to the organization. In order to mitigate the suffering of legal heirs due to the loss of their loved family members, the Hon'ble Minister for Electricity has announced in the Assembly on 22.02.2024 enhancing the compensation amount of 100% in case of Fatal and 50% in case of Non-Fatal accident to Non-Departmental Persons. 2...

-2-

Accordingly, as a gesture of goodwill, the proposal submitted to the Board for consideration to enhance the compensation amount to the legal heirs of the victims and the affected persons has been approved by the Board of TNPDC in its 126th Board meeting held on 25.11.2024 as follows:-


Sl. No.	Mode of Accident	Existing	Enhanced	Competent Authorities
1.	For Fatal	Rs.5,00,000/-	Rs.10,00,000/-	Concerned Chief Engineer's
2.	For Non-Fatal			
	a) Loss of two limbs or two eyes	Rs.2,00,000/-	Rs. 3,00,000/-	
	b) Loss of one Limb or one eye	Rs.1,00,000/-	Rs. 1,50,000/-	
3.	Animals (Cow/Bufalow/Bullock)	Rs.25,000/-	Rs.25,000/- (No change as mentioned in B.P.No.6, dt.16.10.2019)	

3) The above enhanced rates of compensation shall be paid to the victims on incidents reported on or after the date of approval of the Board i.e., 25.11.2024.

(BY ORDER OF THE BOARD OF TNPDC)

M.SUDARSAN
CHIEF ENGINEER/PERSONNEL.

To




W.P.(MD).No.21187 of 2023

8. It is therefore not open for the respondents to shift the blame either on the driver of the tractor with trailer or on the petitioner's husband, who died on 19.05.2023 due to electrocution. It is the responsibility of the respondents to ensure that the high tension wires are not placed at a height, which can cause danger to the public.

9. Considering the same, I am inclined to quash the impugned order with the following directions:

(i) The respondents are directed to pay *ex-gratia* of Rs.10,00,000/- to the petitioner, in terms of above mentioned Board proceedings, dated 21.12.2024 bearing reference **(Per). (FB) TNPDCCL Proceedings No.11.**

(ii) The respondents are directed to adjudicate the claim for the balance compensation of Rs.10,00,000/- subject to the petitioner giving proper calculation in terms of the decision of the ***Hon'ble Supreme Court in Smt. Sarla Verma & Ors. Vs. Delhi Transport Corporation & Anr. In Civil Appeal No.3483 of 2008 and National Insurance Co. Ltd. Vs. Pranay Sethi & Ors,*** and *ex-gratia* shall be paid within a period of two months from the date of receipt of copy of this order.



W.P.(MD).No.21187 of 2023

(iii) The final compensation shall be awarded to the petitioner, taking note of the above decisions, which have been made applicable in the context of compensation for death on account of electrocution.

(iv) The entire amount of compensation shall be paid within a period of six months from the date of receipt of copy of this order.

10. Since, the matter is left open for the balance amount, the respondent shall consider all the relevant practice and pass appropriate orders for awarding the compensation.

11. With the above said directions, this Writ Petition is disposed of. Consequently, connected Miscellaneous Petitions are closed. No costs.

16.07.2025

NCC : Yes / No
Index : Yes / No
Internet : Yes / No

Indu



W.P.(MD).No.21187 of 2023

WEB COPY

To

- 1.The Tamil Nadu Electricity Limited,
represented by its Chairman,
NPKKR Maligai, No.144, Anna Salai,
Chennai- 600 002.
- 2.The Tamil Nadu Generation and
Distribution Corporation Limited (TANGEDCO),
represented by Director TANGEDCO,
10th Floor, NPKKR Maligai,
No.144, Anna Salai, Chennai- 600 002.
- 3.The Superintending Engineer,
The Electricity Distribution Circle,
TNEB Office, NRT Nagar, Theni District.
- 4.The Executive Engineer,
TNEB Distribution,
Uthamapalayam Taluk,
Theni District.
- 5.The Assistant Engineer,
Distribution-TNEB, Kamaya Goundanpatti,
Cumbum Village,
Uthamapalayam Taluk,
Theni District.



WEB COPY



W.P.(MD).No.21187 of 2023

C.SARAVANAN, J.

Indu

W.P(MD).No.21187 of 2023

16.07.2025



WEB COPY



W.P.(MD).No.21187 of 2023