



W.P(MD)No.29344 of 2025

BEFORE THE MADURAI BENCH OF MADRAS HIGH COURT

WEB COPY

DATED: 16.10.2025

CORAM

**THE HONOURABLE MR.JUSTICE G.R.SWAMINATHAN
and
THE HONOURABLE MR.JUSTICE B.PUGALENDHI**

**W.P(MD)No.29344 of 2025
and
W.M.P(MD)No.22674 of 2025**

E.Palani

... Petitioner

Vs.

- 1.The District Collector /
The Monitoring Committee,
Thirunelveli District.
- 2.The Regional Director of
Municipal Administration,
Ram Popular Road,
Palayamkottai,
Tirunelveli.
- 3.The Sub Collector,
Cheranmahadevi,
Tirunelveli District.
- 4.The Tahsildar,
Nanguneri Taluk,
Tirunelveli District.



W.P(MD)No.29344 of 2025

5.The Commissioner,
Kalakad Municipality,
Tirunelveli District.

... Respondents

Prayer: Writ Petition filed under Article 226 of Constitution of India, to issue a Writ of Mandamus, directing the respondents 1 to 4 to remove the encroachments made by the fifth respondent in the Kudithangi Pond comprised in S.No.685/1 of Padalayarkulam Village, Nanguneri Taluk, Tirunelveli District based on the petitioner's representation dated 25.07.2025.

For Petitioner : Mr.A.Sankararamasubramanian

For Respondents : Mr.C.Venkatesh Kumar
Special Government Pleader
for R.1 to R.4

Mr.J.Parekumar
Standing Counsel for R.5

ORDER

Heard both sides.

2.The petitioner is a resident of Padalayarkulam Village. He alleges that in the petition mentioned water body, local body is attempting to commit encroachment.



W.P(MD)No.29344 of 2025

WEB COPY

3. When the matter was taken up for hearing, the learned Standing Counsel for the local body drew our attention to the order dated 03.07.2025 in W.P(MD)No.17867 of 2025 (K.S.Sideeq Azeezur Rahman Vs The District Collector & Others). The said writ petition also pertains to the very same subject matter. We have disposed of the writ petition in the following terms:

“3. The stand of the respondents is that they are only undertaking some development activities. Be that as it may, the respondents cannot reduce or shrink the over all dimensions of the water body. That has to be maintained as such. The inlets and outlets cannot be blocked. Subject to these two caveats, any other development activities such as laying walk area, etc can very well be undertaken by the local body.”

4. According to us, the aforesaid direction should suffice. Be that as it may, the Commissioner, Kalakad Municipality has given the written instruction in the following terms. It reads as follows:



W.P(MD)No.29344 of 2025

பத்திவாரி அறிக்கை

1. திருவெல்வேலி மாவட்டம் கனக்காடு நகராட்சிக்குட்பட்ட ஊர்டு. எண். 19 பகுதியில் புல எண். 685/1 மற்றும் 685/2ல் 3.77 ஹெக்டேர் பரப்பில் குடிதாங்கி குளம் என்ற நீர் நிலை நகரத்தின் மத்தியில் அமைப்பெற்றுள்ளது.
2. சம்பந்தப்பட்ட குடிதாங்கி குளம் தற்போது கழிவு நீரால் குழப்பப்பட்டு மாசடைந்துள்ளது. அரசு நீர் நிலைகளை பராமரிக்க மூன்னுரிமை அளித்து உள்ளாட்சி அமைப்புகளின் கட்டுப்பாட்டில் உள்ள நீர்நிலைகளை சுத்தமாக பராமரிக்க அவ்வப்போது ஆய்வுறுத்தி வருகிறது.
3. அதன் அடிப்படையில் நகரத்தின் மத்தியில் அமைப்பெற்ற மேற்படி குடிதாங்கி குளத்தினை கரைகளை பலப்படுத்தி, தூர்வாரி நிலத்தடி நீர்நிலை அதிகரிக்கப் போக்குடன் அரசு தீக்குளத்தினை ரூ. 54.00 இலட்சம் மதிப்பீட்டில் பராமரிப்பு செய்ய அரசாணை (40) எண். 20 நகராட்சி நிருவாகம் மற்றும் குடிநீர் வழங்கல் துறை நான். 08.05.2025ன் படி அனுமதி அளித்துள்ளது.
4. மனுதாரர் பத்தி (3)ல் குறிப்பிட்டவாறு சாலை விரிவாக்கம் செய்ய எந்தவித ஆக்கிரமிப்பும் கனக்காடு நகராட்சி மூலம் செய்யப்படவில்லை. மேலும் தற்காலிகமாக உள்ள ஆக்கிரமிப்புகள் அனைத்தையும் அகற்ற தற்போது நடவடிக்கை எடுக்கப்பட்டுவருகிறது. எனவே மனுதாரர் குறிப்பிட்டுள்ளது உண்மைக்கு புறம்பானது.
5. அரசு மற்றும் உள்ளாட்சி அமைப்புகளின் நோக்கமே நீர்நிலைகளை எவ்வித ஆக்கிரமிப்பும் இல்லாது அதனை உரிய வழியில் பராமரிப்பு செய்து நிலத்தடி நீராதாரத்தை பெருக்குவதாகும். அதன் அடிப்படையிலேயே இந்த நீர் நிலையினை பராமரிக்கப் பணியினை நகராட்சி துவங்கியுள்ளது.
6. மனுதாரர் பத்தி (5)ல் குறிப்பிட்டவாறு சம்பந்தப்பட்ட நீர்நிலையின் பரப்பளவு எவ்விதத்திலும் குறைக்கப்படமாட்டாது என உறுதியளிக்கப்படுகிறது.
7. சம்பந்தப்பட்ட குடிதாங்கி குளத்தினை தூர் வாரப்படுவதால் அதன் கொள்ளவு வெடுவதற்கு வாய்ப்புள்ளது. இதனால் நகரின் நிலத்தடி நீர் மட்டம் உயரும். அத்துடன் சம்பந்தப்பட்ட நீர் நிலையின் கரைகள் பலப்படுத்தப்பட உள்ளது. அத்துடன் கழிவு நீர் மற்றும் பிளாஸ்டிக் கழிவுகள் கலப்பது தடுக்கப்படும் எனவே மனுதாரர் தெரிவித்துள்ள உண்மைக்கு புறம்பான கருத்துக்களை தள்ளுபடி செய்ய மாண்பு மிகு நீதி மன்றத்தை பிரார்த்திக்கப்படுகிறது.

ஆணையாளர்,
கனக்காடு நகராட்சி.



W.P(MD)No.29344 of 2025

5.Directing the fifth respondent to abide by the aforesaid undertaking,

this Writ Petition is disposed of. There shall be no order as to costs.

Consequently, connected miscellaneous petition is closed.

[G.R.S., J.] [B.P., J.]
16.10.2025

NCC : Yes / No
Internet : Yes / No
Index : Yes / No
MGA

To

1.The District Collector /
The Monitoring Committee,
Thirunelveli District.

2.The Regional Director of
Municipal Administration,
Ram Popular Road,
Palayamkottai,
Tirunelveli.

3.The Sub Collector,
Cheranmahadevi,
Tirunelveli District.

4.The Tahsildar,
Nanguneri Taluk,
Tirunelveli District.



WEB COPY



W.P(MD)No.29344 of 2025

G.R.SWAMINATHAN, J

and

B.PUGALENDHI, J.

MGA

5.The Commissioner,
Kalakad Municipality,
Tirunelveli District.

W.P(MD)No.29344 of 2025

16.10.2025