



WEB COPY



Cont.P.No.4276 of 2025

IN THE HIGH COURT OF JUDICATURE AT MADRAS

DATED: 23-01-2026

CORAM

THE HON'BLE MR JUSTICE **M.DHANDAPANI**

CONT P No. 4276 of 2025

Mr. D.Lakshmipathy,  
No. 86, Athamananchery  
Reddipalayam Village,  
Ponneri Taluk,  
Thiruvallur District.

..Petitioner(s)

Vs

1. Mr. Sivakumar,  
Tahsildar,  
Ponneri Taluk,  
Thiruvallur District.
2. M.Prathap, I.A.S.,  
The District Collector,  
Thiruvallur,  
Thiruvallur District.
3. Er. S.Gopalakrishnan,  
The Chief Engineer,  
Operation and State Dam Safety Organisation,  
Water Resource Department,  
Chepauk, Chennai 600 005.
4. Thiru. Rajesh Lakhoni, I.A.S.,  
Addl. Chief Secretary/Commissioner  
for Revenue Administration,  
Ezhilagam,  
Chepauk, Chennai 600 005.

..Contemnor(s)



Cont.P.No.4276 of 2025

**Prayer:** Contempt Petition filed under Section 11 of the Contempt of Courts Act, 1971, seeking to punish all the respondents for civil contempt for wilful and deliberate disobedience and non-compliance of this Court's order made in W.P.No. 21648 of 2024 dated 05.08.2024.

For Petitioner(s): Mr. A.AROKIADOSS

For Contemnor(s): Mr.P.Balathandayutham  
Special Government Pleader

### **ORDER**

This Contempt Petition is filed seeking to punish the respondents for wilful disobedience of the order dated 05.08.2024 passed by this Court in W.P.No. 21648 of 2024.

2. This Court by an order dated 05.08.2024, issued a direction to the second respondent to consider the petitioner's representation and pass appropriate orders as per the Revenue Standing Orders, within a period of twelve weeks. Pursuant to which, the order was passed on 22.01.2026 by the second respondent.

3. Accordingly, the Contempt Petition stands closed.

**23-01-2026**

Index : Yes/No  
Speaking/Non-speaking order  
Neutral Citation : Yes/No  
rts



Cont.P.No.4276 of 2025

To

1. The Tahsildar,  
Ponneri Taluk,  
Thiruvallur District.
2. The District Collector,  
Thiruvallur,  
Thiruvallur District.
3. The Chief Engineer,  
Operation and State Dam Safety Organization,  
Water Resource Department,  
Chepauk, Chennai 600 005.
4. The Addl. Chief Secretary/Commissioner  
for Revenue Administration,  
Ezhilagam,  
Chepauk, Chennai 600 005.



WEB COPY



*Cont.P.No.4276 of 2025*

**M.DHANDAPANI, J.**

**RTS**

CONT P No. 4276 of 2025

23-01-2026